




Datenblatt - Fiche technique - Data sheet



Cordon Cat.6A FTP AWG26




MATERIAL LIST:

NO.	PARTS NAME	SPECIFICATION DESCRIPTION
①	CABLE	FTP (26AWG*1PR)*4+AL+D+PVC OD:5.7±0.2mm COLOR:Assorted upon request
②	RJ45 CONNECTOR	RJ45,8P8C,TWO FORK GOLD PLATED CONTACTS WITH METAL HOUSING
③	MOLDING PVC	MOLDING PVC 45P COLOR:Assorted upon request

Marking: E213738-Y CM (UL) C(UL) 4P 26AWG F/UTP CAT6A PATCH CONFORM
TO ANSI/TIA-568-C.2 & ISO/IEC 11801

PIN OUT



ELECTRONIC TEST:
A.OPEN/SHORT/INTERMITTENCE: 100%.
Bending Radius: 45.6mm

REMARK	NO	CHA.NO	SIGNATURE	DATE
DRAWN BY	RENZHI			
CHECKED BY				
AUDITED BY		APPROVED BY		
CRAFT		DATE	2014.08.13	

SIGN	W.T	SCALE
PAGE OF		

rotronic

FTP CAT6A 26AWG

ITEM NO. (SECTION SHBET)

CAT 6A FTP	packing unit	ITEM#	ITEM#	ITEM#	ITEM#	ITEM#	ITEM#	ITEM#	ITEM#	ITEM#
		Grey color	Yellow color	Green color	Blue color	Red color	Black color	Orange color	Purple color	White color
0,30M	50	21.15.3101	21.15.3112	21.15.3123	21.15.3134	21.15.3145	21.15.3156	21.15.3167	21.15.3178	21.15.3189
0,50 M	100	21.15.3102	21.15.3113	21.15.3124	21.15.3135	21.15.3146	21.15.3157	21.15.3168	21.15.3179	21.15.3190
1 m	100	21.15.3103	21.15.3114	21.15.3125	21.15.3136	21.15.3147	21.15.3158	21.15.3169	21.15.3180	21.15.3191
1,5m	100	21.15.3104	21.15.3115	21.15.3126	21.15.3137	21.15.3148	21.15.3159	21.15.3170	21.15.3181	21.15.3192
2 m	100	21.15.3105	21.15.3116	21.15.3127	21.15.3138	21.15.3149	21.15.3160	21.15.3171	21.15.3182	21.15.3193
3 m	50	21.15.3106	21.15.3117	21.15.3128	21.15.3139	21.15.3150	21.15.3161	21.15.3172	21.15.3183	21.15.3194
5 m	50	21.15.3107	21.15.3118	21.15.3129	21.15.3140	21.15.3151	21.15.3162	21.15.3173	21.15.3184	21.15.3195
7 m	50	21.15.3108	21.15.3119	21.15.3130	21.15.3141	21.15.3152	21.15.3163	21.15.3174	21.15.3185	21.15.3196
10 m	40	21.15.3109	21.15.3120	21.15.3131	21.15.3142	21.15.3153	21.15.3164	21.15.3175	21.15.3186	21.15.3197
15 m	30	21.15.3110	21.15.3121	21.15.3132	21.15.3143	21.15.3154	21.15.3165	21.15.3176	21.15.3187	21.15.3198
20 m	20	21.15.3111	21.15.3122	21.15.3133	21.15.3144	21.15.3155	21.15.3166	21.15.3177	21.15.3188	21.15.3199