



Datenblatt - Fiche technique - Data sheet


**11.99.5420**



VALUE DVI-VGA Kabel, DVI (12+5) ST - VGA ST, 2,0m

VALUE Câble DVI, DVI (12+5) M-VGA M, 2,0m

VALUE DVI Cable, DVI (18+5) - HD15, M/M, 2 m



P1: DVI (18+5)

P2: HDB15M

NOTES:

1. MATERIAL

1.1 HDMI CABLE: (7/0.12TC+FPE+30/0.10TC+FAM)\*3CO+7/0.12TC\*1P  
 +7/0.12TC\*5C+AL+7/0.12TC+128/0.12ALM+BLACK PVC JACKET  
 OD: 7.5 ± 0.2 mm

1.2 DVI-D (18+5) MALE: BLACK INSULATION, GOLD PLATED CONTACTS  
 NICKET PLATED SHELL.

1.3 HIGH DENSITY D-SUB 15PIN MALE: BLACK INSULATION, GOLD PLATED  
 CONTACTS ,NICKET PLATED SHELL.

1.4 ALL HOOD: MOLDED BLACK PVC.

2. ELECTRICAL

2.1 100% OPEN AND SHORT TEST.

2.2 CONDUCTOR RESISTANCE: 5 OHMS MAX.

2.3 INSULATION RESISTANCE: 5 MEGOHMS MIN/DC300V.

2.4 HI-POT: DC200V/0.01S.

2.5 HDTV-DVD TEST : 1080P.

3. PACKAGING: BULK PACKAGING.

4. ALL COMPONENTS ARE RoHS AND REACH COMPLIANT.

PIN OUT

P1	P2	
C1	1	RED
C5	6+7+8	
C2	2	GREEN
C5	6+7+8	
C3	3	BLUE
C5	6+7+8	
C4	13	
6	15	
7	12	
8	14	
14+16	9	
15	5+10	
SHELL	DRAIN	SHELL
CONDUCTOR OF COAX		
SHIELD OF COAX		

P/N表

ITEM NO.	L
11.99.5449	5000 ± 70mm
11.99.5430	3000 ± 70mm
11.99.5420	2000 ± 50mm

DRAWING APPROVED _____		DATE: _____	
SAMPLE APPROVED PER DRAWING SPECIFICATIONS _____		DATE: _____	
mm	TITLE	Rotronic Co. Ltd.	
SCALE	VALUE DVI-VGA CABLE		
SHEET	CUS. NAME		
DIMENSIONAL TOLERANCES UNLESS OTHERWISE NOTED		CUS. P/N	ENG. YICO DATE 2011-3-22
.X ±	.XX ±	SEE THE P/N CHART	CHECKED SALLY DATE 2011-3-22
.XX ±	ANGLES ±	DRAWING NO.	APPROVED SUNNY DATE 2011-3-22
REV. 00	CUS. REV 00	HF0487	

REV.	MODIFY DESCRIPTION	DATE
00	NEW ISSUE	2011-3-22