

VS201 2-Port Video Switch

The VS201 Video Auto Switch is an automatic video switch that is ideal for monitors using analog signals. In addition, the VS201 boosts signals, allowing long distance transmission of up to 65 m (210 feet).

A slide switch sets the priority for the incoming video signals for display on the monitor, and the VS201 automatically selects the proper input signal for its output port. Both features make the VS201 an excellent choice for educational environments.





Specification)

Function		VS201
Display Connections		2
Connectors	Video In	2 x HDB-15 Male (Blue)
	Video Out	1 x HDB-15 Female (Blue)
	Power	1 x DC Jack
LEDs	Remote	1 (Red)
	Local	1 (Red)
	Power	1 (Green)
Switch	Priority	1 x Slide Switch
Video		1920 x 1440 @ 60Hz
Bandwidth		150 MHz
Cable Distance		Up to 65 m
Power Consumption		DC 5.3 V, 0.32 W
Environment	Operating Temp.	0–50°C
	Storage Temp.	-20–60°C
	Humidity	0–80% RH, Non-condensing
Physical Properties	Housing	Metal
	Weight	0.20 kg
	Dimensions (L x W x H)	10.36 x 7.90 x 2.79 cm

HDB-15

Features

- Displays the video output of two computers on a single monitor or projector
- Automatic incoming signal selection (Auto)
- Quick and easy switching via slide switch
- Long-distance transmission up to 65 m
- Superior video quality up to 1920 x 1440
- Supports VGA, XGA. SVGA, UXGA and multisync monitors

*Video content sent over very long distance using a VGA cable might result in slight degradation of the video signal and quality.

ATEN International Co., Ltd. 3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan Phone: 886-2-8692-6789 Fax: 886-2-8692-6767 www.aten.com E-mail: marketing@aten.com



Printed 05/2014 V4.0

© Copyright 2014 ATEN" International Co., Ltd. ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners.