



ATEN NRGence™

PE0107S/PE0110S/PE0207S/
PE0209S/PE0210S

Basic 1U PDU with surge protection
Quick Start Guide

© Copyright 2019 ATEN® International Co., Ltd.

ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners.

This product is RoHS compliant.

Printing Date: 03/2019



Package Contents


- 1 Power Distribution Unit
- 1 Power Cord
- 1 User Instructions

A Hardware Review




pe0110sa is the example used here. Please confirm the models corresponding to the given pictures (models and pictures are not directly related).

B Hardware Installation



Note: For safety reasons the equipment should be installed near the wall socket outlet and the disconnected device (appliance coupler on detachable power supply cord or plug on non-detachable power supply cord) should be readily accessible

C Rack Mounting



Support and Documentation Notice

All information, documentation, firmware, software utilities, and specifications contained in this package are subject to change without prior notification by the manufacturer. To reduce the environmental impact of our products, ATEN documentation and software can be found online at <http://www.aten.com/download/>

Technical Support

www.aten.com/support

Scan for more information



EMC Information

FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT:

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

Warning: Operation of this equipment in a residential environment could cause radio interference.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

이 기기는 업무용 (A급) 전자파적합기기로서 판매자 또는 사용자는 이 점을 주의하시기 바라며, 가정외의 지역에서 사용하는 것을 목적으로 합니다.

A Hardware Review

- 1 Power Inlet
- 2 Circuit Breaker
- 3 Surge Protection
- 4 Surge Protection Indicator
- 5 Power Outlets
- 6 Rack Mount Ears
- 7 Grounding

B Hardware Installation

Refer to the installation diagram (the numbers in the diagram correspond to the numbered steps), and do the following:

- 1 Connect the Basic PDU's power cord to an AC power source.
- 2 For each device you want to connect, connect its power cable between the device's AC socket (where applicable) and any available outlet on the Basic PDU.

Note: We strongly advise that you do not plug the Basic PDU into a multi socket extension cord, since it may not receive enough amperage to operate correctly. Once you have finished

C Rack Mounting

The Basic PDU can be installed in a 1U configuration on the side of a rack. To rack mount the device, stabilize the device on the rack and tighten screws onto the rack mount ears.

Surge Protection Indicator

The Surge Protection Indicator is as shown in the Hardware Review.

It should normally be lit when the unit is powered.

If the indicator is not lit when the unit is powered, please power down the unit and any connected device safely. Return the unit to the dealer closest to your location for further assistance.