

# Performance C Series

## Power Supplies XP400R6 / XP500R6 / XP600R6 / XP700R6

The Xilence Performance C series is focusing on the essentials. Designed for office and home computers, the Performance C series delivers stable voltages with high efficiency (ErP2014). This guarantees a considerably low fan noise. Four built-in safety circuits ensure safe operation at all times.




### Product Features

- Extremely silent cooling: large 120mm fan
- Excellent air flow design for a better heat dissipation
- Following safety design:
  - OVP (Over Voltage Protection)
  - UVP (Under Voltage Protection)
  - SCP (Short Circuit Protection)
  - OLP (Over Load Protection)
- Low stand-by consumption
- Complies with ErP2014 norm
- Active-PFC

### Technical Data | XP400R6


	AC INPUT	DC OUTPUT
XP400R6	200V - 240V	+ 3.3V 15.0A
		+ 5.0V 12.0A
		+ 12.0V1 13.0A
		+ 12.0V2 13.0A
		- 12.0V 0.3A
		+ 5.0VSB 3.0A
Efficiencies		10% > 78,21%
		20% > 82,64%
		50% > 85,43%
		100% > 82,55%
		300W continuous
		400W Peak Power



# Performance C Series


## Technical Data | XP500R6

	AC INPUT	DC OUTPUT
XP500R6	200V - 240V	+ 3.3V 15.0A
		+ 5.0V 12.0A
		+ 12.0V 15.0A
		+ 12.0V2 15.0A
		- 12.0V 0.3A
		+ 5.0VSB 3.0A
Efficiencies		10% > 81,70%
		20% > 85,38%
		50% > 85,82%
		100% > 82,67%
		350W continuous
		500W Peak Power



## Technical Data | XP600R6


	AC INPUT	DC OUTPUT
XP600R6	200V - 240V	+ 3.3V 15.0A
		+ 5.0V 15.0A
		+ 12.0V 18.0A
		+ 12.0V2 20.0A
		- 12.0V 0.3A
		+ 5.0VSB 3.0A
Efficiencies		10% > 82,09%
		20% > 85,81%
		50% > 86,11%
		100% > 82,49%
		450W continuous
		600W Peak Power



# Performance C Series

## Technical Data | XP700R6

	AC INPUT	DC OUTPUT
XP700R6	200V - 240V	+ 3.3V 18.0A
		+ 5.0V 15.0A
		+ 12.0V 30.0A
		+ 12.0V2 30.0A
		- 12.0V 0.3A
		+ 5.0VSB 3.0A
Efficiencies		10% > 83,87%
		20% > 86,96%
		50% > 86,90%
		100% > 83,24%
		550W continuous 700W Peak Power



## Logistical Data

Manufacturer Number	XP400R6	XP500R6	XP600R6	XP700R6
Item Number	XN041	XN042	XN044	XN046
EAN Barcode	4044953500213	4044953500220	4044953500237	4044953500541



ACTIVE PFC

All trademarks and registered marks are the property of their respective companies. Errors excepted. Subject to change without prior notice. Images may differ from original product.