

StarTech.com Commutateur KVM à 2 ports USB 4K 60 Hz DisplayPort avec câbles incorporés

Marque : StarTech.com

Code produit: SV211DPUA4K

Nom du produit : Commutateur KVM à 2 ports USB 4K 60 Hz DisplayPort avec câbles incorporés



StarTech.com Switch KVM DisplayPort 2 Ports- 4K 60 Hz - Commutateur KVM USB DP 1.2 UHD avec Câbles 1,2 m Intégrés & Audio - Alimenté par Bus - Commutation à Distance 1,5 m avec Bouton (SV211DPUA4K)



Connectivité		Configuration minimale du système	
Nombre d'ordinateurs contrôlés *	1		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Port clavier *	USB		
Port souris *	USB		
Port vidéo *	DisplayPort		
Quantité d'interface DisplayPorts	1		
Version de DisplayPort	1.2		
Ports de console *	USB A		
Quantité de ports USB de la console	2		
Connecteur USB	USB Type-A		
Connexions audio	✓		
Port de console	DisplayPort		
représentation / réalisation			
Type HD *	4K Ultra HD		
Résolution maximale *	3840 x 2160 pixels		
Largeur de bande vidéo	60 Hz		
Intervalle de scan	10,20,30,40,50,60 s		
Connexion en guirlande	✗		
Canaux audios	2.0		
Design			
Grille de montage *	✗		
Couleur du produit *	Noir		
Matériau du boîtier/corps	Plastique		
Longueur de câble	1,2 m		
Voyants	✓		
Touches directes	✓		
Temps moyen entre pannes	1012884 h		
Certification	CE, FCC, REACH		

Écran		Configuration minimale du système	
Écran intégré *	×	Prise en charge du système d'exploitation Mac	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Affichage à l'écran (OSD)	×	Prise en charge du système d'exploitation serveur	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019
Durabilité		Certificats de conformité	RoHS
Conditions environnementales		Température d'opération	0 - 40 °C
		Température hors fonctionnement	-20 - 60 °C
		Humidité relative de fonctionnement (H-H)	0 - 90%
Poids et dimensions		Largeur	82,2 mm
		Profondeur	97 mm
		Hauteur	9 mm
		Poids	350 g
Informations sur l'emballage		Largeur du colis	161 mm
		Profondeur du colis	250 mm
		Hauteur du colis	65 mm
Contenu de l'emballage		Guide d'installation rapide	✓
Autres caractéristiques		Contrôle IP	×
Données logistiques		Code du système harmonisé	85176200
		Largeur du casier principal (externe)	448 mm
		Longueur du casier principal (externe)	356 mm
		Hauteur du casier principal (externe)	350 mm
		Produit par casier principal (externe)	20 pièce(s)



0065030882156



065030882156

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.